

# Vertikalkurve VarioFlow plus 65 STS, Edelstahl 1.4301, 5° R500 - Bosch Rexroth 3842547135


**Item no.** BRR-3842547135 **Manufacturer** Bosch Rexroth

**Manufacturer no.** 3842547135

Vertical curve for the VarioFlow plus 65 chain conveyor system in the STS stainless steel design. It deflects the conveyor chain by 5° (radius 500 mm) to bridge changes in height along the conveyor line. Supplied fully assembled, including fastening material for STS section profiles.

## TECHNICAL DATA

|                        |                         |
|------------------------|-------------------------|
| Article authenticity   | <b>Original product</b> |
| Condition of article   | <b>New</b>              |
| Country of Manufacture | <b>Germany</b>          |
| ESD-Ausführung         | <b>TEC</b>              |
| Weight                 | <b>0.1 kg</b>           |
| Zolltarifnummer        | <b>84313900</b>         |



## STANDARDS & COMPLIANCE

**ESD safe**

## DESCRIPTION

The vertical curve 65 VERT STS is a ready-to-install component for the Bosch Rexroth VarioFlow plus chain conveyor system in stainless steel design. It guides the conveyor chain through a vertical deflection of 5° (radius 500 mm) and suits conveyor lines with elevated hygiene and corrosion requirements.

- Profile and connector made of non-rusting steel 1.4301
- Supplied fully assembled, including fastening material for STS section profiles
- Size 65 mm for the VarioFlow plus 65 system

## Technical data

Deflection angle 5°

|                               |   |
|-------------------------------|---|
| Size [b]                      | 65 mm   |
| Dimension [A]                 | 246.2 mm  |
| Actual chain length           | 2x 0.24 m   |
| Effective sliding rail length | 4x 0.24 m   |
| Material profile              | non-rusting steel 1.4301                                      |
| Material connector            | non-rusting steel 1.4301                                      |
| Scope of delivery             | incl. fastening material for mounting to STS section profiles |
| Delivery information          | fully assembled   |
| Required accessories          | slide rail: length calculation                                |
| Weight                        | 1.466 kg  |